Poplar River
638.16 Cooperative
W26prus Monitoring
Arrangement ...
data exchange,
United States
contribution

POPLAR RIVER COOPERATIVE MONITORING ARRANGEMENT

1986

STATE DOCUMENTS COLLECTION

MAR 12 1990

MONTANA STATE LIBRARY. 1816 E. 6th AVE. HELENA, MONTANA 59620

THIRD QUARTER DATA EXCHANGE
UNITED STATES CONTRIBUTION

PLEASE RETURN




INTRODUCTION

1986 - THIRD QUARTER DATA EXCHANGE POPLAR RIVER BASIN

The Poplar River Bilateral Monitoring Committee was authorized by the Governments of Canada and the United States under the Poplar River Cooperative Monitoring Arrangement dated September 23, 1980. The Committee is composed of representatives of the Governments of the United States, State of Montana, Canada, and Province of Saskatchewan. In addition to the representatives of governments, two ex officio members who are local representatives of the State of Montana and Province of Saskatchewan participate in activities of the Committee.

One responsibility of the Committee includes the on-going quarterly exchange of results of water quantity, water quality and air quality monitoring programs. The programs are being conducted in Canada and the United States at or near the International Boundary by cooperative monitoring agencies in accordance with the Technical Monitoring Schedules. Monitoring information is to be transmitted by each Committee co-chairman to his counterpart co-chairman within a reasonable period after the termination of each quarter. In addition, preselected parties are to receive copies of the quarterly exchange.

This package represents information collected by United States sources for the Poplar River basin during the third quarter of 1986. Included are data for surface water quantity and quality, ground-water levels. Air quality monitoring was not done during the reporting period.



STREAMFLOW MONITORING


Responsible Agency: U.S. Geological Survey

Daily mean discharge or levels and instantaneous monthly extremes as normally published in surface water data publications.

No. on	USGS	
Map	Station No.	Station Name
1	06178000	Poplar River at
		International Boundary

	kesponsible Agency:	Environment Canada
2	06178500	East Poplar River at
		International Boundary








POPLAS SIVES AT INTERNATIONAL BOUNDARY

JUL AUG SEP OCT NOV	5. 60. 65		1. 01. 57	. 70	. 12 1	.7 .13	. 000	. 60.		. 30° . 5°	5. 60.	0.	60.	.7 .03	1. 70.		1. 80. 7.	1. 70. 78	.53 .06 .34	37 .05	. 70. 05	23 .09 2.	.07 3.	. 2 . 2 . 2 . 2 . 4	20.	14 .03 3	15 .07 7.	7.0	13 .07 6.	11 .39 5.	- 25	.25 2.75 52.7	000	
NON		0.7		0	(()	2.	0.	5.	3.7	.7	. 1	1.5	. 1		uti	12.	7.		2.2				1.3	1.0	-	M	-3	570	0	~	I.	72.56 65	6. 6	2 3 0
> d T		7.1				0.7	5.5	3.7	17	05-0	53	80 80	25	37	5 2	2.5	12	60	-0	۲. در	13	12	12	12	3	1 1	7.6	(C)	7 . 1	5 - 3	 	753.8		3
41 C	20	50	50	0 -	(A.)	40	1.6	14	13	15	11	0.3	0			F .	ę	12	E .	Ei a	1.0	11	11		d =	12	12	11	0	o. m	8	337.2	1 3	
¥.	0	730	0	1	200	CP	D	-	1 22	-3	151	115	60	7.0	0 7	0			0		5	27	24	en u	3	22						5 25	P	
m) 13.1																																		
NAU																																		
V 2 0		. 12	m	-1	S	40	7	00		0	11	12	100	15	15	16	17	CA, I	13	20	2.1	22	23	24		20	2.2	200	62	20	3.1	TOTAL	10 7 20	1 C 00 3



		(L) (~)																																			
		> C 2																																			
	43 0 (2) (2) (3)	0																																			
10	m 3 to 12 t	n wi	2.5			0				(1) • (1)				۲. ۲) ()) ()					7 . 7						rrs (+ 1 () (1	1000	ć.		+ P	_
ONAL SCUNDA	U22Y 1936	30.0	0.0	0 0						2 . 3				2.5						, ,			4		3 15	2.5					(V) (4	CI	2.51			43
NTERNATION	YEAR JAN	JUL	500	0 0						3.0				3 . 2				۰	0	N 10					0 0	2.0					N 10 e		7.50	0		. (7
IVER AT I	CALENDAR	705	10 -							4.1						20				. 1) n						N . J	1	2	5.49		. (0
202L1R R	SECOND.	7	7.0				10	1 1	7.5		1.1	(f)	1 10	12						1 P~					- « - «	7 . 5					17 (7)		- 4	12.3	r\.	0.7	0
10 42	7 0 111 0	4	P							6.5		1,3	· <	5.2		C		, ,			0 • 0					110			9		9.5	1	203.5	0 - 7 3	.7 (0 * 7	3
173500	OTEDO NI	3.	P- 1	4 0 0 0	1 1	-	C	1 6	1 ~	12	73	7.3	7	0	- 40 - 10	(T)		n n	J 6	1 7	() P)	P	0 10	7 1	2 7 6	1 12	17	+	15	of fsy	71		5	e	\sim	- 1	>
101	ISCHARGE	17 1 11 1	0.6							12 . 7						2 . 7			0) () . () () ()) (P	202	4.5	0	nη	1	1 1	i i	160.6	5 . 7 .	69	2 . 2	> 1 <
	Ö	N a D		o. 0 ≥ 0		0.		0		0 0			0 1			() () () ()	1	0 6) () ~) · ·	5.1				× 0	>° ~	€ ~	8. 5	2 . 4	2 . 3	0.0	h ° 7	9 D e	C1	~ ~	٠,٠	
		3= 43 63	-	~ ~	↑ 41	1 10		0 1	. n)) ()·	0	11	- 2	g per	7	1/1				L1 (*) - +=		,	- ,	77	7 2	101	€ 9	2.5	3.5	5 2	0 F	-	(1	7. 44 114 5	42 1	1-0	_)



SURPACE WATER QUALITY HONITORING

Station Location

Responsible Agency: U.S. Geological Survey

No. on Hap	USGS Station No.	Station Name
1	06178000	Poplar River at International Boundary
2	06178500	East Poplar River at International Boundary
3	06179000	East Poplar River near Scobey

PARAMETERS

WATSTORE+


Sampling Frequency

						,
Code	Parameter	Analytical Method N	0.	1	7	3
	- at succes	we chod N	0.	1	2	_
00410	Alkalinity-field	Elect. Titration		Н	н	Н
90410	Alkalinity-lab	Elect. Titration		H	H	н
01106	Aluminum-dies	AA.		SA	SA	SA
00610	Ammonia-tot	Colorimetric		H	H	H
00625	Ammonia+Org N-tot	Colorimetric		н	H	H
01000	Armenic-dime	AA, hydride		SA	SA	SA
01002	Areenic-tot	AA, hydride		A	A	A
01010	Beryllium-dies	AA.		SA	SA	SA
01012	Beryllium-tot/rec	AA-Perculfate .		A	A	A
01020	Boron-diss	Colorimetric		н	H	H
01025	Cadmium-dias	AA .		SA	SA	SA
01027	Cadmium-tot/rec	AA-persulfate		A	A	A
00915	Calcium	AA		н	н	H
00680	Carbon-tot Org	Wet Oxidation		SA	SA	SA
00940	Chloride-diss	Ion chromatography		м	н	н
01030	Chromium-diss	AA		SA	SA	SA
01034	Chromium-tot/rec	AA-persulfate		A	A	A
00080	Color	Electrometric, visua		Н	н	Н
00095	Conductivity	Wheatstone Bridge		H	D	н
01040	Copper-diss	AA		SA	SA	SA
01042	Copper-tot/rec	AA-peraulfate		A	A	A
00061	Discharge-inst	Direct measur.		н	ĸ	н
00950	Fluoride	Electrometric		rı. H	н	Н
01046	Iron-diss				n. H	н
		M.		H		
01045	Iron-tot/rec	AA-persulfate		A	A	A
01049	Lead-diss .	AA .		SA	SA	SA
01051	Lead-tot/rec	AA-persulfate		A	A	A
00925	Magnesium-diss			H	Н	H
01056	Hanganese-diss	AA		SA	SA	SA
01055	Manganese-tot/rec	AA-persulfate		A	A	A
01065	Nickel-diss	AA .		SA	SA	SA
01067	Nickel tot/rec	AA-persulfate		٨	A	A
00615	Nitrite-tot	Ion-chromatography		H	H	H
00630	Nitrate+Nitrite-tot	Colorimetric		Н	Н	H
00300	Oxygen-diss	Winkler/meter		Н	H	H
70507	Phos, Ortho-tot	Colorimetric		Н	H	H
00400	pH	Electrometric	1	H	H	H
00665	Phophorous-tot	Colorimetric		Н	H	H
00935	Potassium-dies	W		H	H	Н
00931	SAR	Calculated		Н	H	H
80154	Sediment-conc.	Filtration-gravimetr	ic i	H	H	M
80155	Sediment-load	Calculated		Н	H	H
01145	Selenium-diss	AA, hydride		SA	SA	SA
01147	Selenium tot/rec	AA, hydride		A	A	A
00955	Silica .	Colorimetric	1	Н	н	H
00930	Sodium	*AA	1	Н	Н	H
00945	Sulfate-diss	Colorimetric	1	н	н	H
70301	Total Dissolved Solids	Calculated	- 1	н	H	H
00010	Temp Water	Toluene	1	Н	H	H
00020	Temp Air	Toluene	2	Н	H	H
00076	Turbidity	Nephelometric	1	H	н	н
80020	Uranium-dias	Fluorimetric		-	HC	-
01090	Zinc-diss	AA		SA	SA -	SA
01092	Zinc-tot/rec	AA-persulfate		A	, A	A

^{*}Computer storage and retrieval system - USGS

Symbols: C-continuous; D-daily; M-monthly; MC-monthly composite; A-annually at high flow; SA-semi-annually at low and high flow; AA-atomic absorption; tot-total; rec-recoverable; diss-dissolved








WATER CUALITY DATA

	# 1 13 1 1 2 () 3 ()	> 705	(30332)	u*	12.	P .		12.	7.	44
1) 10 10 10 10 10 10 10 10 10 10 10 10 10	-1000	10 7	(90098)	7.13	1030	1050	1153	5	1730	1
COLOR	[PL17-	COBALT	(000000)	() ()	0	9	57		;	0
	1020	3m 1 jr-1 1 d-4	(000014)	÷	3.1	~?	0	0	;	6 7
S	INSTANT	TANBOUS	(000051)	20	Ф Ф	7"	5.0	1 . 0	0.03	r,
	(3000	CO000710	-	10	9/1	r i	n	C١	pe
E H C	CHILES	fr u.i ft	(000035)	E 20	67.0	E 2 5	0 #1	C:	C	- 11
	C C C C C C C C C C C C C C C C C C C	- 111	CENT)	50	133	0.	0	Ü	0	ľ
3AROT METRIC PREST	SU S Su S Su S Su S Su S Su S Su S Su S	u ((000055)	9 9 9	0.00	545	265	969	6) 6)	774
	TEMPER-	2	(02000)	2.0	2.3	0 ° 0	() ()	29.0	25.0	
	1 0. 5 111	A T C A A A A A A A A A A A A A A A A A	(0000000)	, o	3.0	11.0	22.0	24.5	m m	u,
		27; 5-1 5-1		(C) (M) 44 (m)	 	12:00	10:30	15:30	09:45	12.03
		(C)		MAZ 1935	# # # # # # # # # # # # # # # # # # #	15.	,		1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	100



1 7 000 6 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	() 1	e e i eco	4	(+ (*) (*)	6)	3)	0 0
0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	M) * EF	İ	1	;	1 1	,	1 1
100 F 100 G		; ; ;	0	; ;	0.13	:	(1) (2) (3)
10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	00		C + C >	0.0	<5.15	6 8	< 3.10
0 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	1/1	~ ·	(*) *	1.1	1	5.5
2 H	5.0	<3.03	< C . C >	<0.0	÷ 0 • 0	:	\$ 0.0°
4 14 14 14 14 14 14 14 14 14 14 14 14 14				2.03			
12140- 02544 02544 02544 07544 07544 07540 00605)	0.53			0.03			!
0.10 x 10 E 0.10 x 10 E 0.15 x 0.0 L V E 0.0 L O S 0.0 L O S	<u>.</u> 	7 * 3		1.7	0.	;	17 + ~
(ST142) UN:143) (00403)	м « М	7 10	4)	F * 6	0	1 1	1 "
0	(T) *	* P	r (1)	u,	C)	(f)	* (i)
CXYGEN, D15- SOLVED CPER- CENT SATUR- ATIOY)	0	132	no N-	20	157	20	-J P-
01 et ()	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4)	ر د د د د د د د د د د د د د د د د د د د	13.00	+ + + - - - - - - - - - - - - - - - - -		* * * * * * * * * * * * * * * * * * *



ASTER QUALITY DATA

2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		;	!	;	;	!	ě d
SILICA DISTER SOLVED (MG/L AS SIO2)	-	5	# ** #**	() ()	O +	;	P- 0 02
*100- *100- 015- \$00- (%37- 000-\$50)	0.0	(D)		2.6	7.0	8 3	7°C
SULPRIE CIST SOLVED (MS/L a S SO4)	76	100	203	140	223	0 E	330
CHLDT RIDEA DIST SOLVED (MG/L AS CL)	er,	0	5.5	, ()	0	;	-
SIUM. SIUM. DIST SCLVED (MG/L AS K)	٠ ده .	0 . 7	Ο· • •	7.0	00 00	1	tt)
SOUTUR SOUTUR COCOSSI	17	67	W)	5 1	52) 	₽ €
SOBOLI SO	14	7	PT.	163	S.	İ	~
SOLVED SOLVED SOLVED SOLVED SONVED (009 WD)	73	140	E 7 E	170	000	1 1	2 8 3
STONE STONE	'n	27	K.	p	10)	e vi
0151 0151 0151 000 000 000 000	23	22	5.3	67	10	3 1	r) In
O 	표 역 대 (C) (C) (C) (C) (C) (C) (C) (C) (C) (C)	2. G1 7. 6.	15) (4)	# # W1 pm (7)		15



WATER QUALITY DETA


10 40 40 40 40 40 40 40 40 40 40 40 40 40	() (+) (*)	1 1	;	;	;	!	* 1
COVER 2004 - 2004 - 2004 - 2004 - 2004 - 2005 COVER 200	4)	i	;	;	1	:	1
008384 0185 00186 00376 00376 01060)	12	ı	f 0	!	1	8 9	1
1	<10	1	1 4	†	1	ŧ	1
01030 01031 00070 01030 01030	c10	*	9 8	t I	!	8 3	;
0 10 20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	₹	1	1 6	å	;	!	k r
CASMIUM DIST SOLVED (US/L AS CD)	₽	1	;	1	;	l l	1 1
30404, EffS- SOLVED (U6/L AS B)	077	700	310	1200	1400	;	1800
359 YL- LYUM, TOTAL RECOV- EAABLE (VS/L AS SE)		1	;	;	:	;	1 1
3824 Live, D:S- SOLVED CJS/L CJS/L (01010)	0	1	1	1	8	t 1	1
425ENIC TOTAL (UC/L AS AS)	~	† 8	1	l f	1	† 1	;
), }- -1 ()	2. C.	·0	10.		15	0. 0. 0. 1. U	0



- POPLAR SIVER AT INTERNATIONAL BOUNDARY


WATER QUALITY DATA

				140242							
			LEAD.	X = S = E	- TONON		NICKEL		ZINC	21.04-	SELET
	* NO E I	1520,	TOTAL	TOTAL	NESEN	NICKELY	TOTAL	ZINC.	TOTAL	INUM	WINIA.
	-510	- IN	PECOV-	RECOV-	015-	-510	RECOV	-510	一人のジョと	-510	0.15
	SCLVED	SOLVED	376273	224312	SOLVED	SOLVED	E 2 3 3 L E	SOLVED	13 15 E	SOLVES	SOLVED
0.37.5	17500	(06/1	1/90)	(1007)	(05/1	CUG/L	1/50)	(US/L	1/90)	00376	(UG/L
	A S R E E	15 26)	15 03)	(NW ST	(FK 50	45 11)	CIN ST	45 283	(N2 ST	25 AL)	15 5 5 3
	(01046)	(01049)	(31051)	(01055)	(01036)	(01055)	(31967)	(01090)	(01092)	(01100)	(21145)
2. ca ca ca ca ca ca ca ca ca ca ca ca ca											
25	() (1) +1	-	(1)	5.5	13		-	165	< 10	-	< 1
17 10 11											
15	P)	1	1	8	!	1	•	1	1 #	1	1
7 ~1 ~											
* * 1/1	ري د ا	1	P 3	1	† ‡	1 8	f 1	1	!	!	1
91 em	21		ř ř	6 6	1 1	1	t t	!	1	ŀ	2 1
, , , r											
	r	1	I I	1	8 2		1	1	1	1	1
100											
***	1 1	a t	1 1	1 1	1	1 1	1	1	t t	1	1
U 111											
4	11	1	ş	8 3	1 1	ŀ	5		1	1	6 8




WATER QUALITY DAFA

NONCAS - NONCAS - SONATE GACOS)	23	10 C)	7-3 -4 -P1	45	232	6 b	V1 V1 P1
LIVITY LAB LAB (MG/L AS CGCOS)	Q 2 P1	727	7 (7-	n in	40 C: 0	1	6.00
0	753	1050	L .0	1130	1120	;	1080
A K T T T T T T T T T T T T T T T T T T	0.00	0.57	40.00	0.11	0.13	1 4	•
S	10	1 7	103	5.5	2.5	1	1
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.02	0.02	m 0.0	0.01	20.02	1	0.02
S S S S S S S S S S S S S S S S S S S	€	3.5	51	7.1	rv on	1 1	3 8
SOLL SOLLS SOLVED (TOLVED) (TOLVED) (TOLVED)	() () ()	26°0	<u>.</u>	E 6 0	1.1	ŧ 1	
SOLIDS SOLIDS (100 S D (100 S D (100 S D	25	133	7.1	477 0 3+3	0 "	!	97.0
SOUTH TO SOU	4	6 63 53	770	() ()	270	;	1100
SELET VIUM. TOTAL (UG/L AS SE)	2	1	1	ŧ 1	;	ŧ .	4 1
C)	\$ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	* * * * * * * * * * * * * * * * * * *	15	13	1		• • • • • • • • • • • • • • • • • • • •




43
\vdash
~1
C,1
>-
P
B0
لب
7
0
.,
O
18.0
3
< 1

	NED XXX	SCLV50 (367L)	V.	г- о и	(C)	5.0	. 0	2/1 0 171	**		* * *	7.5	4
D. 10	0 1 1 N N N N N N N N N N N N N N N N N	4305 4305 60005 600095)	1500	1430	1170	000	1213	1226	1390	0 ()	1320	1550	1253
	COLOR (PL 4T -	CC31LT UNITS)	۴.	1.2	3.0	<u>-</u>	C)	I/A INJ	C	· {_	000	1	1
	1001	111 (ATU) (900076)	2.0	5.5	6°1	4) C)	Ed.	*1 a				;	1
	STREAM	TANEOUS (CFS) (000061)	;O	50	2.5	**	1.2	.,	3.7	N 0	2.5	2 - 3	34.
	10 10 10 10 10 10 10 10 10 10 10 10 10 1	CC00 NUMBER CD00C1	c	7.1	gues	l~1	⋈	0	Ü	0	(D)	0	r.
	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		in O	E)	57.0	143 143 143	P	P- #" H1	0.00	C 117	C)	0	0
	CUCUC	(PER- CENT) (00032)	0	103	22	100	50	C	0	CI	O	0	0
4 1 2 1 C	1 W F S S S S S S S S S S S S S S S S S S	0F HG) (00625)	6.49	1000	269	40 02 03	569	701	7.05	202	7.05	700	734
	TEMPER A TURBER	413 (DEG C)	ИЗ *	-19.0	12.0	0 .	0.0	20.0	200	24.0	0.72	29.3	7.5
		ATURE (0000 C)	0	0	0	C)	en en	6-1 0 0	50.5	20.5	20.5	21.0	(C)
		111 20 9-4 1	13:30	10 -7 +0 	15:15	10:33	10:00	14:30	11:30	11:45	12:03	14:30	10:00
		## ## ##	0.000 2.40		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	; ;; ; ; ;	V1 2 2	17	000000000000000000000000000000000000000	: ::::::::::::::::::::::::::::::::::::	0.00		



WATER QUALITY DATA

24054 240405, 10144 (#5/4 15/20)	0.01	3.32		,	() ()	P*\ f 3	2.03	0.00	1 1	1
1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	3.20	0.23	02.0	0.10	<5.12	< 3.13		< 0.10 < 0.10	1 1	b b
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	•	1.3	1.2	1.0	р ;	· ·		0.0	8 2	!
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0	1	0	t t	;	:	1	1 1	\$ 2	il 3
10 10 10 10 10 10 10 10 10 10 10 10 10 1	0.0	<0.51	0.21	<0.0>	0.0	<0.0>	<0.31	<0.0>	8 ?	3
1 4 7 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	2.77	3.75	< 3.31	3.18	0.00	0.0	0.13	×0.0 0.0 0.0	!	3 3
2	()	(C)	1	0.00	m m	0 * 9 9	0 • 0	m N v 0 0 0	1	1
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1.3	- - -	.,	gro-	1	1	ł f	1 1	6 0	6 2
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	23	23	77	7.1	40 +	3 + (v)	0.4	00.	l l	1
CSTANDI COLITS)	7.7	7.6	10 *	e	un	רמ • רמ	ω (Ω)	m 2 ·	;	1
S T T T T T T T T T T T T T T T T T T T	7.5	4.5	47	P* 1 0 723	h- +	e) m	6 t t	40 KU 9 8 84 KU	67) (1)	0 1
0 x Y GEN x 0 0 15 x 0 0 15 x 0 0 15 x 0 0 0 15 x 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	P1 1	10	0	0	3.7	123	107	107	20	2.
11.1 1- 1-1 (3)	40 0 + 0 2 = 4 2 = 4 1 = 15	* (4)	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	· · · · · · · · · · · · · · · · · · ·		* * * * * * * * * * * * * * * * * * *	01 NU	01 01 02 m 0	17



7 F O 2 ID 6 O 1 O 1 O 0	1 2 1 1 1 1 1 1 1 1 2	MUTURO PARCION	SIUMA	SOUT GOS	MUTGO 1-C4 1-C4		SIDA	ATOBY ATOBY	SULFATE	1	SILICAN
10707		SOLVED	50LV € D	SOLVED	NON P		SOLVED	SOLVED		SULVED	7/55)
(MG/L	17	2/25)	CMG/L	CMG/L	SATIO	リロスロのます	(*3/1	7/5%)		3/5%)	A S
45 C)	03003)	45 C4)	15 MG)	25 NA)		SOCIUM	15 <)	45 (1)		15 8)	5102)
(009900)	(00600)	(309415)	(60925)	(02+00)	(23031)	(00432)	(55eCO)	(07:00)		(03680)	(9960)
ľ	007	w (;	70 4	190	7	O.S.	2.2	H1 + 0	200	ا د ا	₽ €
1	257	٠ (١)	20	200	4	r) w.	7.5	4)	0 4 6	1	<u> </u>
0	27.0	O P)	۲٦)	150	~ ?	V7 V7	o 	15) 0 40	250	7.3	2 . 3
E I	560	~? +\$	7,7	170	~1	50	2	6.1	C) 3	3.3	e en
1	50 EV	0 7	41	170	7	10	17	ν, ε,	230	ر. د.	, to
1 1	C) 80	e -29	77	180	יע	10	0	5.1	1	***1 ** ***)	8
0 ° e	340	53	27	173	~8	W 1	en	·1	250	7	200
O n	353	ر. د.	200	17.0	7	5.1	\ \ \ \ \ \ \	(P.)	()	0.3	9
9.6	350	() ()	6.3	17.0	7	5.1	2 ° S	6 - 3	0	. M • C)	9
1	1										
						1	b 9	} 9	•	B 6	8 6
1	\$ 8	8 8	1 1	1 1	1	2 2	1	1 0	1 ,	4	




ALTER QUALITY DATA

13047 10144 88004 60374 60374 601045)	4 1	ŧ	513	1 4	1	6 6	B 1	: :	1 1	;
0	1	1	Ŷ	1	t t	1	P ^C 1	J ~	II t	*
00225- 315- 3018- 8018- 8018- 8018- 0105- 0105- 0105-	8	1	61	1	*	j 1	1	1 1	1	;
0.000000000000000000000000000000000000	1	!	\$;	;	i i	<13	413	1	1
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	;	† 1	Ş	:	1	i t	;	8 L	;	1
0 4 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	:	4 1	\Box	ŧ,	8 8	;	1	; ;	;	1
C40MIUM 0185- 0185- 0007L 0007L 01025)	;	ł	\ -	t f	1 1	b f	1	1	;	1
20204, 0:ST SOLVEC (US/L AS 3)	1500	1500	() () ()	1300	1833	3 6 0	1750	1733	;	1
00 00 00 00 00 00 00 00 00 00 00 00 00	;	1	C)	8 8	t I	1 6	1 1	1 1	1	;
2004 2004 2008 2008 2008 2009 2000 2000 2000 2000	:	1		1	;	l F	8 1		;	ŀ
ARSEN; C 1074L (US/L AS AS)	;	i i	***	1	t I	1	t 1	l l	į į	8 6
23 SENIC 0 15 - 0 10 3 / L 0 10 3 / L 0 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1	1	143	1 1	3 6	1	V) ii	0.0	t 1	1
iu Fd C	0 · · · · · · · · · · · · · · · · · · ·	# # # # # # # # # # # # # # # # # # #	, d	+ + + () () () ()	: : : : : : : :	17	**************************************	· · · · · · · · · · · · · · · · · · ·	0 00 00 00 00 00 00 00 00 00 00 00 00 0	· · · · · · · · · · · · · · · · · · ·



WATER QUALITY DATA

	2 2 3 % C 2 2 C 2		SOLVED SOLVED	DATE (UG/L (UG/L	15 FE)	(01046) (01049)	 16 , 16	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	122		13	13.	03		12	5 P	
1000	7.77.1	-ACDE	5 4 2 3 L E	7/500	45 55)	(01051)	:	į į	(4	;	;	;	\$	\$ V	5>		!
140247	TOTAL	- ACOUR	EREALE	7/90)	AS MAD	(01055)	1	l l	5.0	1	1 1	;	1	t I	1	1	1
1 4 5 7 4 3	V 10 10 10 10 10 10 10 10 10 10 10 10 10	- S - C	SOLVED	(05/L	C NE ST	(31056)	l I	1	0	;	;	1	2.2	202	20		
	NICKELN	1000	SOLVED	7/90)	AS NI)	(31055)	-	5 8	< 1	1 1	1	ř l	1	1		į	
NICKELY	14.01	E > 0 0 II II	E35253	1/500	CIN ST	(01057)	-	§ .	[-]	!	;	1	₩	2	(2		
	200	1010	SOLVEC	1/90)	1 N N N N	(000100)	i	1	er,	ì	:	;	8	1	1	i	I I
\ \ \ \ \ \ \ \	10 E	1 0 0 0	111	1/201	(N7 ST	(21032)	1	1	30	!	;	;		10			1
1000	* かつぐ!	1000	SCLVED	7/90)	15 11)	(31186)	1	1	0) 	!	1 1	010	<10	<10	1	1
5 3 1 5 -	NO 17	-520	111111111111111111111111111111111111111	1/20)	15 50	(01145)	1	1 1	↓	1	1	;	*	~	<1		
	1 2 1 1 1 1	× 30 12	11 11 11 11	US71	15 5 5	(31175)	6	0 0	Ţ.	1	1	1	!	1 1	0		1




WATER QUALITY DATA

1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	207	2 3	272	201	101 50	782	27	727	1	ŀ
C 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	P- 43 W1	V: 1.	-1 10 01	927	217	0.5 +	0 .3	407	1	1
0.000000000000000000000000000000000000	Ce71	1532	1153	1200	12 4 2 4	1225	12 (2)	1230	I i	1
t v 1 m 1 m > m t v 1 m 1 m > m	P 0	0.73	10	0 0	() ()	12.0	1	0.24	,	1
MERCH NO. 1	70	← Mi	4	3.5	2 E	3.2	!	27	!	;
NITRO- GENS TOTAL FOOTL AS NOUS)	47) 0	m •	5 . 5	1 .	ŧ t	6	ŀ	! !	;	8 8
P P P P P P P P P P P P P P P P P P P	<0.31	20.0	0 .0	0.02	<0.01	<0.0>	<0.07	, 0 , 0 , 0	1	1
X X	ro M	N)	m	0-	70	3.3	B 1	96	1	1 1
SOLISS SOLVED (10NS (70NS) (70333)	6 down	1.3	1.0	6 0	***	-	** *		1	;
SOL:35 501:05 501:45 67045 (70345)	~	~	7	N = 5	2.5	01	10 a	7 PM 0 0 1 M2	*	l I
SOLIOS SUM OBSTATE TURNIS TURNIS SOLVED (700010)	Deo	076	750	730	790	0000	000	0 0	1 8	1
111 Fe C)	0	0 0 0 0 0 0 0 0 0	2 2 4	16	**************************************	17	(C) (C)	0 0 17 0 0 17 0 17	(C) (C) (C) (C) (C) (C) (C) (C) (C) (C)	17




O CALENDAR YEAR JANUARY 1985 TO DECEMBER 1985 ×0 × F () 1520 1430 1430 1430 1410 1410 1400 1350 1400 1400 1420 1420 1450 1410 1420 1410 1410 1390 1400 1400 1420 1420 1420 1620 1620 1610 1610 1610 1410 1430 1320 JUL 1390 1410 1410 1370 1420 1420 1410 1410 14.30 14.20 14.20 14.30 14.30 1440 1420 1420 1440 1430 1430 1430 SPECIFIC CONDUCTANCE (MICROSIEMENS/CM at 25 DES.C).
ONCE-DAILY JUN 1280 1290 1300 1390 1420 1390 1390 1350 1320 1320 1380 1380 1390 1350 1370 1780 1400 1400 1400 1420 1260 1230 1300 1230 1230 140000 140000 1210 1210 1270 1270 1270 1300 1230 1280 1280 1330 1230 1230 1230 1230 1230 1220 1220 1290 1400 1250 1290 1300 1440 1400 1270 1440 1150 4 12200 112200 1122000 1132000 W = 22 = 20000 1 1 1 1 1 1 1 1 1 1 1 1 1340 1300 1330 1480 1480 1400 1500 1380 1410 1400 1390 1430 1450 1450 1490 1490 1490 1490 1500 1500



- EAST FORK POPLAR RIVER NEAR SCOBEY, MI.

					C & G & G & G & G & G & G & G & G & G &	SUBLITY SATA	7 -					
0 H H	111 F P=1 p=-	1 000 m m 000 m m 000 m m 000 m m 000 m m 000		O I I I I I I I I I I I I I I I I I I I	00000000000000000000000000000000000000	O B C C C C C C C C C C C C C C C C C C	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	N N N N N N N N N N N N N N N N N N N	(1	COURT 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	0 1 20 0 1 200 0 10 0 2 0 0 0 10 0 0 10 0	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
JAN 1935	15:00	0 0	0. 6	0000		0 0	0000	- W	5 . 5		15000	
2 S S S S S S S S S S S S S S S S S S S	00000	0.7	M 5 0	593	10	520	-	3.3	1.0	10	1000	e e
10 10 10 10 10 10 10 10 10 10 10 10 10 1	00000	2.0	1.0	739	100	m m	pri	₩ 		171	1230	P')
17.	15:00	C) **1 ***	(4)	6.5.2	\$ 9	512	gra	02	4	n	1230	ry e
(r) (r) (r)	00100	21.0	() ()	700	a	111	Ċ	3.7	-1	€1 +3	1250	41
	0.000	50.0	21.6	700	0	12	0	e - †	f 1 0 1/1	52	1300	6/1 0 4)
\$ 1/2 \$ 1/2	03:00	13.0	(3)	70.0	0	0 =	Ð	3 . 6	1 6	7	1-30	1/1
17	00:80	0	7.0	707	06	C	M	0	l I	1 0	1010	6.



WATER QUALITY DATA

4440- 4655 (467c 455 (00900)	4	() ()	0	0 %	0	25.2	(°)	;
0.00000 0.00000 0.00000 0.00000 0.00000 0.00000	6 3	~~ ~~	;	1	1	1	8 8	;
7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	0	43 C)		50.0	5.05	(7) (-) (-)	f 1	!
E 8 3 3 60 60 60 60 60 60 60 60 60 60 60 60 60	0	· · ·	<3.19	<.0 > 13	<0.10	3::5	<0.10	;
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	(C)	173	1)	0			1.2	1
Z	0.0	<2.31	<>	<0.01	<0.0>	<0.01	<0.03	;
10 10 10 10 10 10 10 10 10 10 10 10 10 1	C1	0.03	0.03	0 .0	20.0	2.02	0.01	;
NITRO- 58N/ 085ANIC 707AL MS/L NS/N)	;	1.5	0.00	30.0	p	1.1	1.2	\$ \$
010x10E 010x10E 010x10E 0010x10E 0010E 0010E 0010E	3	-	*	1 , 5	-	0.5	0.0	1 1
CST&NO - 00475)	7.5	1ft * m	1/ + //1	4D + (1)	() ()	0.0	4 . 4	1
0 00 00 00 00 00 00 00 00 00 00 00 00 0	7 . 5	m1 + m1	41	a: a	C	0.	0	ηυ « α'
21011120 00000410 210010410	1	а. 10	7.	200	7 6	(E)	52	7.5
01 	128.1935	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	4) 4) 4) 7		471	40		17

wares quality data


145 E + 1 C 0 I S = 1 C (U S / L 1 S S S S S S S S S S S S S S S S S S S	ę 8	m	i i	;	1 1	b 6	;	
574.50 k 504.80 504.80 540.80 510.20 510.20 60.20 kg	() ()	5 . 5	† * !>)	d) 4 10)	0	1.0	e +	1 2
1 1 1 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0	~1 * C1	0.3	м. * Г,	61	*		5.3	,
SULFATE 025- 025- 037-L 037-L 037-L 037-L	350	210	250	12 50	53.3	220	330	8 9
210- 210- 210- 20- 20- 20- 20- 20- 20- 20- 20- 20- 2	°	40 0 10,	N . V	9 0	٠ د د	ò • ò	3.1	;
SOTAS- SILM, SOLVED (MG/L AS K)	60	15	12	10	P1	0	0.0	;
500 E 4 T S C C C C C C C C C C C C C C C C C C	2.5	3	nt)	50	5.5	0	-7	;
S S S S S S S S S S S S S S S S S S S	143	~?	10	143	n	ie.	7	1
SOLVED SOLVED (MS/L AS NA)	C1 10 10	() 3	202	210	200	180	273	1 1
S S S S S S S S S S S S S S S S S S S	55	37	163 ~9	97	£1 -1	7 7	55.53	;
015- 015- 015- 000/ 000/ 00015)	<u>~</u>	3 <	42	, C)	0	2.1	6 -	ș ē
G 4 81	0 + 0 + 0 + 0 + 0 + 0 + 0 + 0 + 0 + 0 +		**************************************	14	18	4 0 0 0 0	0 du	17

1 2

1


KATER DUALITY DATA

1 2 3 3 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	(67L 35 FE)	(91045)	1	\$ 	1 1	!	1	1	
0 + 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0 =	(03/th	(01042)	<	1	ř I	1	;	;	1
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000 L 000 L 45 CU)	(01040)	0	!	-	g 6	:	1	å j
0.1 P. W.P. C. 2 G. G. G. G. G. G. G. G. G. G. G. G. G.	(05/L 45 CR)	(380)	100	ŧ 1	1	1	ì	1	1 1
	(UG/L 4S C3)	(0.50.10)	<10	1	8 5	;	† 1	2 5	1
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	(US/L AS CD)	02010	-	;	1	;	;	;	1
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	(00 %	(62617)	5	!	;) t)	1	1
30.20 0.10 0.15 0.15	(UG/L 45 3)		020	1330	1400	1600	000	2300	1
5 E 2 Y L - L I U M / T O T A L R E C O V -	(US/L 45 3E)		Ç	1	ę s	f (1	:	1
0 0 1 2 1 1 0 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0	(UG/L 45 3E)		٠. د د د د د د د د د د د د د د د د د د د	})	;	:	:	1
A D S EN I C TOTAL	(US/L 45 48)		m	1	!	1	l I	i 1	I ?
	in ← d ()	450 NEU	1 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	, , , , , , ,	16		٠. د د د د د د د د د د د د د د د د د د د	÷ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	17



- 7
4
j
+4
()
3-
len
9.4
- 4
42
\supset
7
n
12.2
-
-1

SELST VICAS 0105 SCLVED (USSL)								1
3LU4- ZNU4/ DIS- SOLVED (UG/L AS 2L)	÷	6,0		!	;	3	!	ļ
71NC, 737aL 737aL 737aL 6051 0051 01002)	;	127		8	!	;	;	
218C 218C 80LVED (UGVE 48 28)		रंग ।	;	1	1	f g	;	
NICKEL, TOTAL WECOV- ERABLE (UG/L AS NI)	;	n	f I	1	1 1	1	1	
NICKEL, DIS- SOLVED (US/L AS NI)		ľ\)		;	;	ì	-	
MANGEA - NESEA - SOUNS	;	un.	ŀ	1	1	†	1 7	
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1	67	1	<i>t</i>	;	;	1	i i
LEAD. TOTAL RECOV- ERBELE (UG/L 01051)	;	-	† †	ŧ	1	1 1	3 2	1
LEADA 0187- 00187- 1007-	1	-	*	1 1	į į	1	!	1
TAOAN SOLVED (UGAL AS FE)	ers	117 (N)	3.7	P) P)	20) [m]	1 P)	3.5	t J
91 Fr 61	10 10 10 10 10 10 10 10 10 10 10 10 10 1	17 CT CT CT CT CT CT CT CT CT CT CT CT CT	10. H	16	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	· · · · ·	10 to 0 17	




- EAST FORK POPLAR RIVER NEAR SCOSEY, MT.

WATER DURLITY DATE

1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1/1 1r, 1	() ()	() ()) † (t 1000, 1000,	EI Pu	P- (V)	
10000 10000 10000 10000 10000 10000 10000 10000	4) (n)	0 0	(°) 3,	· ~ ·	12 43 3	f) [13]	5 2 0	
SPET CIPIC CONTI- PACE (US/CE)	20%	V00	() ! !^			1110		
2	() ()	673 673	*n *n	;	() () ()		<i>*</i>	
SEDI- MENT, SUS- DENDED (SUS-) (SUS-)	2.2	60	0	1	٥	10	1 1	
027405 027405 107740 107740 10571 10500	<0.01	0.02	0.01	0.03	<0.01	5.05	0.01	;
**************************************	1/1	1 01	2 3	2 6	3.5	2 3	† I	\$ 0
\$00138. \$0181 \$181 \$181 \$181 \$181 \$181 \$181 \$18	41	0	· ·	1.2	4 pm	()	1.4	8 1
50LXDS/ 50LXDS/ 50LXED (70NS/ 62X7)	0 .	0	0.2	6.7	0	M ⊕	3.7	1 1
SOLIDS. SOLIDS. TURNSTITE SOLVED (70301)	1200	029	(C)	() () ()	() () m	740	1000	1
NECKT TOTAL COST SEED	i i	~	j t	1	1	1	1	8
100 m	000000000000000000000000000000000000000		4) 4) - >- -1 -2'	34.00		* + + + + + + + + + + + + + + + + + + +	S = 2	17

ř



GROUND WATER LEVELS TO MONITOR

POTENTIAL DRAWDOWN DUE TO

COAL SEAM DEWATERING


Responsible Agency: Montana Bureau of Mines and Geology


No. on Map

Sampling

2 to 22

Determine water levels quarterly







	Depth	to water (fee	t)
Well no.	April 9, 1986	June 20, 1986	Sept. 27, 1986
2 3 4 5 6	218.29 82.00 60.73 20.85 21.34	217.75 81.85 60.52 20.83 20.79	217.66 81.82 60.57 20.09 20.49
7 8 9 10 11	79.01 13.69 14.19 5.74 -1.02	78.58 14.09 14.62 5.86 -1.05	78.47 13.83 14.39 5.87 -1.05
12 13 14 15 16	dry 135.04 212.56 224.51 41.72	dry 134.99 212.54 224.34 41.05	134.72 223.58 38.26
17 18 19 20 21	248.43 247.96 126.49 dry 240.67	247.98 247.79 126.17 dry 240.63	246.91 247.64 126.06
22	18.14	17.93	14.22

⁽⁻⁾ Indicates water level above land surface; --, no data.



